


# KELEN

## KE08 KELEN PP-RCT pipe - PN16 20x2,8

1682001

### Areas of application



KELEN PP-RCT drinking water pipe system conforming to ÖNORM EN ISO 15874 made of polypropylene (PP-RCT)

Application area: 20°C/16 bar - 70°C/10 bar

Colour: grey and 3 co-extruded longitudinal blue lines

Length: 4m

### Approvals:



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

| Article information |  |          |
|---------------------|--|----------|
| port 1              |  | Rohrende |
| port 2              |  | Rohrende |
| color               |  | grau     |

| Technical properties  |  |               |
|-----------------------|--|---------------|
| pipe weight           |  | 0,15 kg/m     |
| pipe contents         |  | 0,16 l/m      |
| PN                    |  | PN 16         |
| lambda pipe           |  | 0,24 W/(m.K)  |
| wall rawness          |  | 0,007 mm      |
| expansion coefficient |  | 0,15 mm/(m.K) |



## Product information

|                     |                          |
|---------------------|--------------------------|
| DIM2                | 14,4                     |
| VPE1                | 80 BND                   |
| VPE2                | 6400 HOB                 |
| L                   | 4 m                      |
| weight              | 0,15 KGM                 |
| text                | KELEN PP-RCT pipe - PN16 |
| INTRNR              | 39172290                 |
| main material group | KELEN                    |
| material group      | KELEN pipes              |
| code                | KE08                     |



| Art. No | label  | d1 mm | pipe contents l/m | s mm |
|---------|--------|-------|-------------------|------|
| 1682001 | 20x2,8 | 20    | 0,16              | 2,8  |



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)