


# KELOX

## KM100 KELOX multilayer pipe 25x2,5

7411250

### Areas of application



KELOX multilayer pipe conforming to ÖNORM EN ISO 21003; oxygen- and water vapour-tight 5-layer multilayer pipe made of PE-RT/Al/ PE-RT;

Classification of operating conditions according to ÖNORM EN ISO 21003

Sanitary application - Class 2: 70°C - tmax 80°C/10 bar

Radiator connection - Class 5: 80°C - tmax 90°C/10 bar

Colour: white/transparent

Supplied in coils

## Approvals:



# Specifications

## Article information

color White

flexible 1

## Technical properties

maximum working pressure at 20 ° C 10

pipe weight 0.22

lambda pipe 0.45

## Product information

VPE1 50 ROL

VPE2 700 PAL

L 50 m

weight 0,22 KGM


text KELOX multilayer pipe

INTRNR 39173900

main material group KELOX

material group KELOX pipes

code KM100



| Art. No | label  |
|---------|--------|
| 7411250 | 25x2,5 |



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)