


# KELOX

## KMU460 KELOX-ULTRAX elbow adaptor 90° male 25x3/4"

71212E04

### Areas of application



Press elbow adaptor with male thread for sealing, made of non-porous metallized brass, incl. support sleeves with O-rings and steel or stainless steel press-fit sleeves, "leak before pressed"

### Approvals:



# Specifications

## Article information


|               |                            |
|---------------|----------------------------|
| port 1        | Pressing socket            |
| port 2        | Male thread, conical (NPT) |
| execution     | 1-part                     |
| design        | Knee                       |
| angle         | 90                         |
| press contour | U                          |

## Technical properties

|                                    |    |
|------------------------------------|----|
| maximum working pressure at 20 ° C | 10 |
|------------------------------------|----|

## Product information

|                     |                                     |
|---------------------|-------------------------------------|
| VPE1                | 10 SA1                              |
| VPE2                | 90 KT1                              |
| weight              | 0,164 KGM                           |
| text                | KELOX-ULTRAX elbow adaptor 90° male |
| INTRNR              | 74122000                            |
| main material group | KELOX                               |
| material group      | KELOX-ULTRAX metal fittings         |
| code                | KMU460                              |



| Art. No  | label   | d2        | d1 mm | L1 mm | L2 | z1   |
|----------|---------|-----------|-------|-------|----|------|
| 71212E04 | 25x3/4" | 3/4" (20) | 25    | 50    | 42 | 18.5 |



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)