


# KELOX

## KWU440 KELOX-WINDOWX-U tee 75/32/75

72610JFJ

### Areas of application



?Press tee equal or reduced, made of Windox PPSU, incl. support sleeves with O-rings and stainless steel press-fit sleeves, "leak before pressed"

### Approvals:



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

## Article information

|               |                 |
|---------------|-----------------|
| port 1        | Pressing socket |
| port 2        | Pressing socket |
| port 3        | Pressing socket |
| execution     | Tee piece       |
| angle         | 90 °            |
| press contour | U               |

## Technical properties

|                                    |        |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 16 bar |
|------------------------------------|--------|

## Product information

|                     |                                  |
|---------------------|----------------------------------|
| VPE1                | 2 KT1                            |
| weight              | 0.626 KGM                        |
| text                | KELOX-WINDOWX-U tee              |
| INTRNR              | 39174000                         |
| main material group | KELOX                            |
| material group      | KELOX-WINDOWX-U plastic fittings |
| code                | KWU440                           |



| Art. No  | label    | d1 mm | d3 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm | z3 mm |
|----------|----------|-------|-------|-------|-------|-------|-------|-------|-------|
| 72610JFJ | 75/32/75 | 75    | 75    | 95    | 71    | 95    | 29    | 29    | 29    |