


# KELOX

## KMP435 KELOX-PROTEC SL connection set 25x1/2"x20

73155ED2

### Areas of application



Skirting board radiator connecting set with PROTEC press-fit adaptors; made of non-porous metallized brass, incl. support sleeves with O-rings, withdrawal barriers and a protector ring as an insertion locking device with 1/2" male thread radiator connections

### Approvals:



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)


# Specifications

## Article information

|           |                |
|-----------|----------------|
| port 1    | Plug-in sleeve |
| port 2    | Plug-in sleeve |
| execution | Miscellaneous  |

## Product information

|                     |                                |
|---------------------|--------------------------------|
| VPE1                | 1 SA1                          |
| VPE2                | 10 KT1                         |
| weight              | 0,935 KGM                      |
| text                | KELOX-PROTEC SL connection set |
| INTRNR              | 74122000                       |
| main material group | KELOX                          |
| material group      | KELOX-PROtec pushfittings      |
| code                | KMP435                         |



| Art. No | label   | d5<br>Inche  | d6<br>Inche  | d1<br>mm | d2<br>mm | d3<br>mm | d4<br>mm | L1<br>mm | L2 | L3  | L4 | z1 | z2 | z3<br>mm | z4 | h  |
|---------|---------|--------------|--------------|----------|----------|----------|----------|----------|----|-----|----|----|----|----------|----|----|
| 7315E   | 25x1/2" | 1/2"<br>(15) | 1/2"<br>(15) | 25       | 20       | 25       | 20       | 50       | 95 | 105 | 45 | 10 | 65 | 60       | 7  | 95 |