


STEEL FIX EDELSTAHL

NF100 Stainless steel-pipe 1.4401 54x1,5

53001H00

Areas of application



Thin-walled, longitudinally welded stainless steel pipes 1.4401 according to EN 10088, EN 10312 and EN 10217-7 outside and inside bare metal

Application area: Drinking water installations, grey and rain water, sprinkler systems, fire-extinguishing pipelines wet and dry systems

d15 - 54 mm - max. 16 bar

d76 - 108 mm - max. 10 bar

Operating temperature: - 35°C to 120°C - tmax 150°C/16 bar - short-term

rod length: 6m



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL office@kekelit.com

www.kekelit.com

Approvals:



Specifications

Article information

port 1 Rohrende

Technical properties

pipe weight 1,97 kg/m

pipe contents 2,042 l/m

PN PN 16

Product information

VPE1 114 BND

L 6 m

weight 1,97 KGM

text Stainless steel-pipe 1.4401

INTRNR 73064020

main material group STEELFIX

material group EDELSTAHL pipes

code NF100



Art. No	label	d1 mm	pipe contents l/m	s mm
53001H00	54x1,5	54	2,042	1.5