


STEEL FIX EDELSTAHL

NF100 Stainless steel-pipe 1.4401 88,9x2,0

53001K00

Areas of application



Thin-walled, longitudinally welded stainless steel pipes 1.4401 according to EN 10088, EN 10312 and EN 10217-7 outside and inside bare metal

Application area: Drinking water installations, grey and rain water, sprinkler systems, fire-extinguishing pipelines wet and dry systems

d15 - 54 mm - max. 16 bar

d76 - 108 mm - max. 10 bar

Operating temperature: - 35°C to 120°C - tmax 150°C/16 bar - short-term

rod length: 6m



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL office@kekelit.com

www.kekelit.com

Approvals:



Specifications

Article information

port 1	Rohrende
--------	----------

Technical properties

pipe weight	4,15 kg/m
-------------	-----------

pipe contents	5,661 l/m
---------------	-----------

PN	PN 16
----	-------

Product information

VPE1	96 BND
------	--------

L	6 m
---	-----

weight	4,46 KGM
--------	----------


text	Stainless steel-pipe 1.4401
------	-----------------------------

INTRNR	73064020
--------	----------

main material group	STEELFIX
---------------------	----------

material group	EDELSTAHL pipes
----------------	-----------------

code	NF100
------	-------



Art. No	label	d1 mm	pipe contents l/m	s mm
53001K00	88,9x2,0	88.9	5,661	2.0



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 **E-MAIL** office@kekelit.com

www.kekelit.com