


# STEEL FIX EDELSTAHL

NF457 Stainless steel push-adaptor female  
18x1/2"

53206C02

## Areas of application



Push-in adaptor female made of stainless steel 1.4401, incl. EPDM sealing components and pull-out barriers, can be disassembled, to pressure-test Steelfix and copper pipes

ATTENTION, only use for pressure testing!

## Approvals:



# Specifications

## Article information


|           |          |
|-----------|----------|
| port 1    | Einsteck |
| port 2    | Einsteck |
| execution | 1-teilig |
| design    | gerade   |

## Technical properties

|                                    |        |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 16 bar |
|------------------------------------|--------|

## Product information

|                     |                                     |
|---------------------|-------------------------------------|
| VPE1                | 5 SA1                               |
| VPE2                | 100 KT1                             |
| weight              | 0,101 KGM                           |
| text                | Stainless steel push-adaptor female |
| INTRNR              | 73071990                            |
| main material group | STEELFIX                            |
| material group      | EDELSTAHL pushfittings              |
| code                | NF457                               |



| Art. No  | label   | d2               | d1 mm | L1 mm | L2 mm | z1 mm | z2 mm | slw2 mm |
|----------|---------|------------------|-------|-------|-------|-------|-------|---------|
| 53206C02 | 18x1/2" | 1/2 Zoll<br>(15) | 18    | 25    | 17    | 3     | 3     | 25      |