


# COPPER FIX

## COF457 Copper press-adaptor female 15x1/2"

52706B02

### Areas of application



Press-fit adaptor with female thread conforming to EN 10226-1 made of red brass, incl. EPDM sealing components, "leak before pressed"

Press contour: M

### Approvals:




# Specifications

## Article information

|               |                                                         |
|---------------|---------------------------------------------------------|
| port 1        | Pressmuffe                                              |
| port 2        | Innengewinde zylindrisch BSPT-Rp (ISO 7-1 / EN 10226-1) |
| design        | gerade                                                  |
| press contour | M                                                       |

## Product information

|                     |                             |
|---------------------|-----------------------------|
| VPE1                | 10 SA1                      |
| VPE2                | 150 KT1                     |
| weight              | 0,046 KGM                   |
| text                | Copper press-adaptor female |
| INTRNR              | 74122000                    |
| main material group | COPPERFIX                   |
| material group      | KUPFER pressfittings        |
| code                | COF457                      |



| Art. No  | label   | d2               | d1 mm | L1 mm | L2 mm | z1 mm | z2 mm | slw2 mm |
|----------|---------|------------------|-------|-------|-------|-------|-------|---------|
| 52706B02 | 15x1/2" | 1/2 Zoll<br>(15) | 15    | 20    | 18    | 3     | 8     | 25      |