


# COPPER FIX

COF457 Copper press-adaptor female 15x3/4"

52706B04

## Areas of application



Press-fit adaptor with female thread conforming to EN 10226-1 made of red brass, incl. EPDM sealing components, "leak before pressed"

Press contour: M

## Approvals:




# Specifications

## Article information

|               |                                                         |
|---------------|---------------------------------------------------------|
| port 1        | Pressmuffe                                              |
| port 2        | Innengewinde zylindrisch BSPT-Rp (ISO 7-1 / EN 10226-1) |
| design        | gerade                                                  |
| press contour | M                                                       |

## Product information

|                     |                             |
|---------------------|-----------------------------|
| VPE1                | 5 SA1                       |
| VPE2                | 100 KT1                     |
| weight              | 0,062 KGM                   |
| text                | Copper press-adaptor female |
| INTRNR              | 74122000                    |
| main material group | COPPERFIX                   |
| material group      | KUPFER pressfittings        |
| code                | COF457                      |



| Art. No  | label   | d2               | d1 mm | L1 mm | L2 mm | z1 mm | z2 mm | slw2 mm |
|----------|---------|------------------|-------|-------|-------|-------|-------|---------|
| 52706B04 | 15x3/4" | 3/4 Zoll<br>(20) | 15    | 21    | 19    | 5     | 8     | 30      |