


# KELOX

## K415 KELIT PEX universal repair coupling with female thread 1"

2675005

### Areas of application



Universal repair coupling with female thread made of dezincification-resistant brass (DZR), extending

3/4" - Length 14-22 cm

1" - Length 16-25 cm

### Approvals:



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

## Article information

**execution** 1-part

**design** gerade

## Technical properties

**maximum working pressure at 20 ° C** 16 bar

## Product information

**VPE1** 1,00 SA1

**VPE2** 10,00 KT1

**weight** 0,9590 KGM


**text** KELIT PEX universal repair coupling with female thread

**INTRNR** 74122000

**main material group** KELOX

**material group** KELOX screw fittings

**code** K415



| Art. No | label | d1 | d2 | L1 mm | L2 mm | z1 mm | z2 mm | slw1 mm | slw2 mm |
|---------|-------|----|----|-------|-------|-------|-------|---------|---------|
| 2675005 | 1"    | 1" | 1" | 163   | 87    | 22    | 22    | 40      | 40      |