


# LEXEL

## LX04 LEXEL insulation hose - 4 1/2"-20/22

5110040

### Areas of application



Insulation hose made of cross-linked closed-cell polyethylene with onto it extruded woven tape fabric and viscoplastic protective film, for heat and structure-borne insulation, sound insulation increased with a dimpled air chamber profile on the inside of the hose, CFC-free

Colour: blue

Roll length: 10m

Thickness: 4mm



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications


Technical properties

|                      |               |
|----------------------|---------------|
| thermal conductivity | 0.036 W/(m.K) |
|----------------------|---------------|

Product information

|                     |                                 |
|---------------------|---------------------------------|
| DIM2                | 22                              |
| VPE1                | 180 KT1                         |
| L                   | 10 m                            |
| weight              | 0,026 KGM                       |
| text                | LEXEL insulation hose - 4       |
| INTRNR              | 39173900                        |
| main material group | LEXEL                           |
| material group      | LEXEL isolation and accessories |
| code                | LX04                            |





| Art. No | label      | d mm |
|---------|------------|------|
| 5110040 | 1/2"-20/22 | 22   |