

# KELOX

KM136 KELOX Plus-Rohr - 6mm 20x2,25/red

7522201

## Areas of application



## Approvals:



# Specifications

## Article information


|                  |         |
|------------------|---------|
| color            | weiß    |
| colour isolation | rot     |
| flexible         | 1       |
| trade length     | 50,00 m |
| isolation        | 1       |

## Technical properties

|                                    |                |
|------------------------------------|----------------|
| maximum working pressure at 20 ° C | 10 bar         |
| thick thermal insulation           | 6 mm           |
| pipe weight                        | 0,19 kg/m      |
| pipe contents                      | 0,154 l/m      |
| lambda pipe                        | 0,45 W/(m.K)   |
| wall rawness                       | 0,007 mm       |
| expansion coefficient              | 0,025 mm/(m.K) |

## Product information

|                     |                       |
|---------------------|-----------------------|
| VPE1                | 50 ROL                |
| VPE2                | 450 PAL               |
| L                   | 50 m                  |
| weight              | 0,21 KGM              |
| text                | KELOX Plus-Rohr - 6mm |
| INTRNR              | 39173900              |
| main material group | KELOX                 |
| material group      | KELOX isolierte pipes |
| code                | KM136                 |



| Art. No | label       | d1 mm | d Jacket tube mm | pipe contents l/m | s mm |
|---------|-------------|-------|------------------|-------------------|------|
| 7522201 | 20x2,25/red | 20    | 32               | 0,154             | 2,25 |



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)