# KMU477 KELOX-ULTRAX double U wall bracket fitting with female thread 20x1/2"

**71254D2D**

## Areas of application



Press-fit double-U wall bracket fitting with female thread made from non-porous metallised brass, including support sleeves with O-rings and stainless steel press-fit sleeves, "leak before pressed"
Overall height:
1/2" - 46.5mm
DO NOT screw in threaded pipes and cast iron fittings!

**KE KELIT GmbH**
A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe
**PHONE** +43 (0) 50 779 **E-MAIL** office@kekelit.com
www.kekelit.com

## Approvals:

# Specifications

| Article information | |
|---|---|
| **port 1** | Pressing socket |
| **design** | Continuously right-angled |
| **press contour** | U |

| Technical properties | |
|---|---|
| **maximum working pressure at 20 ° C** | 10 bar |

| Product information | |
|---|---|
| **VPE1** | 10,00 SA1 |
| **VPE2** | 50,00 KT1 |
| **weight** | 0,2590 KGM |
| **text** | KELOX-ULTRAX double U wall bracket fitting with female thread |
| **INTRNR** | 74122000 |
| **main material group** | KELOX |
| **material group** | KELOX-ULTRAX metal fittings |
| **code** | KMU477 |




| Art. No | label | d1 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm | z3 mm |
|---|---|---|---|---|---|---|---|---|
| 71254D2D | 20x1/2" | 20 | 59 | 27 | 26,5 | 35 | 10 | 25,5 |

**KE KELIT GmbH**
A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe
**PHONE** +43 (0) 50 779 **E-MAIL** office@kekelit.com
www.kekelit.com