STEEL FIX C-STAHL

CPX410 STEELFIX carbon steel press-fit coupling 88,9

54400KK0

Areas of application



Press-fit coupling straight made of carbon steel coated with a zinc layer, incl. EPDM sealing components, d15-54 "leak before pressed"

Press contour: M

KE KELIT GmbH
A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe
PHONE +43 (0) 50 779 **E-MAIL** office@kekelit.com
www.kekelit.com

Specifications

Article information	
port 1	press sleeve
port 2	press sleeve
execution	1-part
design	straight
press contour	M

Technical properties	
maximum working pressure at 20 ° C	16 bar

Product information	
VPE1	2,00 SA1
VPE2	20,00 KT1
weight	1,2000 KGM
text	STEELFIX carbon steel press-fit coupling
INTRNR	73072980
main material group	STEELFIX
code	CPX410



Art. No	label	d1 mm	d2 mm	L1 mm	L2 mm	z1 mm	z2 mm
54400KK0	88,9	88,9	88,9	82	82	19	19

KE KELIT GmbH
A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe
PHONE +43 (0) 50 779 **E-MAIL** office@kekelit.com
www.kekelit.com