


# STEEL FIX C-STAHl

CP460 C-Steel press-elbow adaptor 90° male  
28x1"

54712E05

## Areas of application



Press-elbow adaptor 90° with male thread conforming to EN 10226-1 made of carbon steel coated with a zinc layer, incl. EPDM sealing components, d15-54 "leak before pressed"

Press contour: M

# Specifications

## Article information


|               |                            |
|---------------|----------------------------|
| port 1        | Pressmuffe                 |
| port 2        | Außengewinde konisch (NPT) |
| execution     | 1-teilig                   |
| design        | Bogen                      |
| angle         | 90 °                       |
| press contour | M                          |

## Technical properties

|                                    |        |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 16 bar |
|------------------------------------|--------|

## Product information

|                     |                                      |
|---------------------|--------------------------------------|
| VPE1                | 5 SA1                                |
| VPE2                | 30 KT1                               |
| VPE3                | 750 DDP                              |
| weight              | 0,234 KGM                            |
| text                | C-Steel press-elbow adaptor 90° male |
| INTRNR              | 73079980                             |
| main material group | STEELFIX                             |
| material group      | C-STAHl pressfittings                |
| code                | CP460                                |



| Art. No  | label | d2             | d1 mm | L1 mm | L2 mm | z1 mm | z2 mm | slw2 mm |
|----------|-------|----------------|-------|-------|-------|-------|-------|---------|
| 54712E05 | 28x1" | 1 Zoll<br>(25) | 28    | 61    | 74    | 38    | 74    | 42      |