


STEEL FIX EDELSTAHL

NF130 Stainless steel-pipe 1.4301 76,1x2,0

53031J00

Areas of application



Thin-walled, longitudinally welded stainless steel pipes 1.4301 according to EN 10088, EN 10312 and EN 10217-7 outside and inside bare metal

Application area: closed heating or cooling water systems, only in connection with stainless steel fittings,

if necessary, observe corrosion protection measures!

d15 - 54 mm - max. 16 bar

d76 - 108 mm - max. 10 bar

Operating temperature: - 35°C to 120°C - tmax 150°C/16 bar - short-term

Rod length: 6m

ATTENTION NOT suitable for drinking water!



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe


PHONE +43 (0) 50 779 **E-MAIL** office@kekelit.com

www.kekelit.com

Specifications

Article information		
port 1		Rohrende
Technical properties		
pipe weight		3,55 kg/m
pipe contents		4,548 l/m
PN		PN 16
Product information		
VPE1		114 BND
L		6 m
weight		3,71 KGM
text		Stainless steel-pipe 1.4301
INTRNR		73064020
main material group		STEELFIX
material group		EDELSTAHL pipes
code		NF130





Art. No	label	d1 mm	pipe contents l/m	s mm
53031J00	76,1x2,0	76.1	4,548	2.0



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 **E-MAIL** office@kekelit.com

www.kekelit.com