


# KELOX

## KWU480 KELOX-WINDOWX-U wall bracket 90° female 16x1/2"

72750B02

### Areas of application



Press-fit wall bracket with female thread made from non-porous metallized brass, from WindowX PPSU, including support sleeves with O-rings and stainless steel press-fit sleeves; "not pressed, not sealed"

Overall height:

1/2" - 50mm

3/4" - 50mm

DO NOT screw in any threaded pipes and cast iron fittings!

DO NOT use liquid sealants!

## Approvals:




# Specifications

## Article information

|           |                      |
|-----------|----------------------|
| port 1    | Pressing socket      |
| port 2    | Female thread metric |
| execution | Miscellaneous        |
| angle     | 90                   |

## Product information

|                     |                                         |
|---------------------|-----------------------------------------|
| VPE1                | 10 SA1                                  |
| VPE2                | 30 KT1                                  |
| weight              | 0.057 KGM                               |
| text                | KELOX-WINDOWX-U wall bracket 90° female |
| INTRNR              | 39174000                                |
| main material group | KELOX                                   |
| material group      | KELOX-WINDOWX-U plastic fittings        |
| code                | KWU480                                  |



| Art. No  | label   | d1 mm | d2 Inches | d1 mm | L1 | L2 | z1 | z2 mm | z1 | z2 mm |
|----------|---------|-------|-----------|-------|----|----|----|-------|----|-------|
| 72750B02 | 16x1/2" | 16    | 1/2"      | 16    | 38 | 30 | 21 | 16    | 21 | 10    |