


# KELOX

## KMP481L KELOX-PROTEC wall bracket 90° with 80mm male thread 20x1/2"x80

73257D02

### Areas of application



Plug-in wall bracket with 80 mm male thread, made of non-porous metallized brass incl. support sleeves, O-rings, withdrawal barriers and protector rings as an insertion locking device

Overall height:

1/2" - 115mm

## Approvals:




# Specifications

## Article information

|        |                           |
|--------|---------------------------|
| port 1 | Einsteck                  |
| design | Continuously right-angled |

## Product information

|                     |                                                     |
|---------------------|-----------------------------------------------------|
| VPE1                | 10 SA1                                              |
| VPE2                | 40 KT1                                              |
| weight              | 0,201 KGM                                           |
| text                | KELOX-PROTEC wall bracket 90° with 80mm male thread |
| INTRNR              | 74122000                                            |
| main material group | KELOX                                               |
| material group      | KELOX-PROtec pushfittings                           |
| code                | KMP481L                                             |



| Art. No  | label      | d1 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm |
|----------|------------|-------|-------|-------|-------|-------|-------|
| 73257D02 | 20x1/2"x80 | 20    | 59.5  | 90    | 19.5  | 26    | 10.5  |