


# KETRIX

## TRI02 KETRIX industrial pipe - PN10 25x2.3

55002E00

### Areas of application



KETRIX industrial piping system based on ÖNORM EN ISO 15874 made of polyolefin blend (POB) for COOLING WATER and COLD

Area of application: 20°C/10 bar, from -30°C to +30°C/8 bar

Colour: burgundy with 3 co-extruded blue longitudinal stripes

Length: 4m



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications


| Article information |          |
|---------------------|----------|
| port 1              | Pipe end |
| port 2              | Pipe end |
| color               | Burgundy |

| Technical properties  |               |
|-----------------------|---------------|
| pipe weight           | 0.16 kg/m     |
| pipe contents         | 0.33 l/m      |
| PN                    | PN 10         |
| lambda pipe           | 0.24 W/(m.K)  |
| wall rawness          | 0.007         |
| expansion coefficient | 0.14 mm/(m.K) |



## Product information

|                     |                               |
|---------------------|-------------------------------|
| DIM2                | 20,4                          |
| VPE1                | 40 BND                        |
| VPE2                | 4000 HOB                      |
| L                   | 4 m                           |
| weight              | 0,16 KGM                      |
| text                | KETRIX industrial pipe - PN10 |
| INTRNR              | 39172290                      |
| main material group | KETRIX                        |
| material group      | KETRIX pipes                  |
| code                | TRI02                         |



| Art. No  | label  | d1 | pipe contents l/m | s   |
|----------|--------|----|-------------------|-----|
| 55002E00 | 25x2.3 | 25 | 0.33              | 2.3 |



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)